What is claimed:

1. A process for producing a semiconductor device, comprising:

a step of forming a gate insulator on a silicon substrate; and

a step of forming a gate electrode, a source electrode and a drain electrode on the silicon substrate,

wherein said step of forming the gate insulator includes

a first step of forming a silicon nitride film on the surface of the silicon substrate by irradiating to the silicon substrate nitrogen radicals generated from a radical nitriding apparatus, the radical nitriding apparatus being provided with a plasma chamber for generating nitrogen plasma including the nitrogen radicals, a substrate susceptor, provided outside of the plasma chamber, for supporting the silicon substrate, and ion deflecting means provided between the plasma chamber and the substrate susceptor.

- 2. The process according to claim 1, wherein said ion deflecting means are ion deflecting electrodes.
- 3. The process according to claim 1, wherein, in said step of forming a silicon nitride film more atomic nitrogen radicals are generated than N₂ radicals in the plasma chamber.
- 4. The process according to claim 2, wherein, in said step of forming a silicon nitride film more atomic nitrogen radicals are generated than N₂ radicals in the plasma chamber.
- 5. The process according to claim 1, wherein said step of forming a gate insulator on a silicon substrate further includes a step of forming a silicon oxinitride film, by oxidizing said silicon nitride film after said step of forming a silicon nitride film.
- 6. The process according to claim 2, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a silicon oxinitride film, by oxidizing the silicon nitride film after said step of forming a silicon nitride film.
- 7. The process according to claim 3, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a silicon oxinitride film, by oxidizing the silicon nitride film after said step of forming a silicon nitride film.

- 8. The process according to claim 4, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a silicon oxinitride film, by oxidizing the silicon nitride film after said step of forming a silicon nitride film.
- 9. The process according to claim 1, wherein said step of forming the gate insulator on a silicon substrate further includes a second step of forming a metal film on the silicon nitride film, and a step of forming a silicon oxinitride film and a metal oxide film by oxidizing the silicon nitride film and the metal film, after said step of forming a silicon nitride film.
- 10. The process according to claim 2, wherein said step of forming the gate insulator on a silicon substrate further includes a second step of forming a metal film on the silicon nitride film, and a step of forming a silicon oxinitride film and a metal oxide film by oxidizing the silicon nitride film and the metal film, after said step of forming a silicon nitride film.
- 11. The process according to claim 3, wherein said step of forming the gate insulator on a silicon substrate further includes a second step of forming a metal film on the silicon nitride film, and a step of forming a silicon oxinitride film and a metal oxide film by oxidizing the silicon nitride film and the metal film, after said step of forming a silicon nitride film.
- 12. The process according to claim 4, wherein said step of forming the gate insulator on a silicon substrate further includes a second step of forming a metal film on the silicon nitride film, and a step of forming a silicon oxinitride film and a metal oxide film by oxidizing the silicon nitride film and the metal film, after said step of forming a silicon nitride film.
- 13. The process according to claim 1, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a ferroelectric film on the silicon nitride film after said step of forming a silicon nitride film.

- 14. The process according to claim 2, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a ferroelectric film on the silicon nitride film after said step of forming a silicon nitride film.
- 15. The process according to claim 3, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a ferroelectric film on the silicon nitride film after said step of forming a silicon nitride film.
- 16. The process according to claim 4, wherein said step of forming the gate insulator on a silicon substrate further includes a step of forming a ferroelectric film on the silicon nitride film after said step of forming a silicon nitride film.